



MULTIQUIP



Walk-Behind Power Trowels



The world's best-selling power trowels

Construction Starts Here

www.multiquip.com



Walk-Behind Power Trowels

Multiquip's Whiteman-Series Power Trowels continue to be the number one choice of the concrete industry. With over 60 years of design and manufacturing experience, no other power trowel can match our quality, reliability or performance.

A complete range of trowels is available with finishing widths ranging from 24" to 48" and rotor speeds up to 180-RPM.

Every trowel is run tested as it comes off the assembly line to ensure every machine meets our customers' expectations.

C-Series 24" Finishing

Rotating ring makes it ideal for finishing around plumbing pipes and edges. Features a 3.5-HP* Honda engine with a choice of either folding QuickPitch™ handle or standard knob pitch handle.



CA4HM includes folding Quick-Pitch™ handle

M-Series 30" Width

Versatile trowel provides good coverage and is compact enough to fit through most doorways.



M30H55 with optional Quick-Pitch handle

J-Series 36" Width

Our most popular mid-size trowel. Generous coverage and performance are trademarks of this proven performer.



J36H55 with optional Quick-Pitch handle

E-Series 36" Width

Reduced rotor speeds provide smooth application of epoxy coatings. Lightweight aluminum guard ring and spider assembly reduce operating weight for optimum performance.



E41EV includes standard handle with knob-style pitch control

HD-Series 48" Width

Features our heavy-duty gearbox and spider assembly along with high-horsepower Honda engines. The 11.1-HP* model features a CVT clutch that spins the rotor to a top speed of 180-RPM.



HDA48413H with optional Quick-Pitch handle

Setting the standard for more than 60 years

Trowel Handles

Every handle is designed with both ergonomics and performance in mind.

Features include greater leverage and height adjustments for improved comfort and reduced operator fatigue. Our throttle design features positive detent settings, allowing the operator to "set and forget" engine speed for easy operation.



Standard Handle

A favorite of contractors who prefer to have infinite blade pitch control. The large knob makes it easy to increase or decrease blade pitch to the desired angle.



Quick-Pitch™ Handle

A patented design enables the operator to react rapidly to changing concrete conditions. Blade pitch is increased or decreased in 1/8" increments by moving the pitch handle back and forth.



Maximize your trowel performance with genuine Whiteman blades!

A full selection of blades is available including QuickChange and heavy-duty Enduro models.

B-Series

46" Width - The Classic. High horsepower engines and nearly 4-ft. of rotor coverage have made this trowel the favorite of concrete contractors for generations.

Tough, long lasting gearbox

Access panel

Durable spider assembly

Safety shut-off switch

Standard lifting bail

Ergonomic throttle control

Height adjustment for handlebar

Optional Quick-Pitch™ blade adjustment

Fully enclosed belt guard

Heavy-duty centrifugal clutch

Optimal balance for smooth finishing

Stabilizer ring (B-series only)



New access panel for quick, easy access to trowel arms for maintenance.

Walk-Behind Power Trowel Specifications

Model	HP (kw)*	Motor	Clutch	RPM	Operating Weight lb. (kg)	Shipping Weight lb. (kg)	Handle Options (see below)
C-Series - 24-inch (610 mm) Rotating Guard Ring							
CA4HM‡	3.5 (2.6)	Honda	Manual	70-130	125 (57)	145 (66)	Includes folding Quick-Pitch Handle
CA4HC	3.5 (2.6)	Honda	Centrifugal	70-130	125 (57)	145 (66)	STHAC; QPHAC
M-Series - 30-inch (760 mm) Guard Ring							
M30H55	4.8 (3.6)	Honda	Centrifugal	60-130	143 (65)	183 (83)	STHAJB; QPHAJB
E-Series - 36-inch (914 mm) Guard Ring							
E41EV‡‡	2 (1.5)	115V, 60 Hz Motor	Centrifugal	55	112 (51)	152 (69)	Includes Standard Knob-Style Handle
E41EV50‡‡	2 (1.5)	230V, 50 Hz Motor	Centrifugal	46	112 (51)	152 (69)	
E45H	4.8 (3.6)	Honda	Centrifugal	30-55	127 (58)	167 (76)	STHAJB; QPHAJB
J-Series - 36-inch (914 mm) Guard Ring							
J42E**	2 (1.5)	115/230V, 60 Hz Motor	Centrifugal	93	146 (66)	186 (84)	Includes Standard Knob-Style Handle
J42E50**	2 (1.5)	230V, 50 Hz Motor	Centrifugal	77	146 (66)	186 (84)	
J36H55	4.8 (3.6)	Honda	Centrifugal	60-115	150 (68)	190 (86)	STHAJB; QPHAJB
J36R60	6 (4.5)	Robin	Centrifugal	60-115	148 (67)	190 (86)	
J36H90	8 (6.0)	Honda	Centrifugal	60-130	171 (77)	211 (96)	
J36R90	9 (6.7)	Robin	Centrifugal	60-130	171 (77)	211 (96)	
J36H90H	8 (6.0)	Honda	Centrifugal	90-155	171 (77)	211 (96)	
J36R90H	9 (6.7)	Robin	Centrifugal	90-155	171 (77)	211 (96)	
B-Series - 46-inch (1170 mm) Guard Ring							
B46H90	8 (6.0)	Honda	Centrifugal	60-130	242 (110)	292 (132)	STHAJB; QPHAJB
B46R90	9 (6.7)	Robin	Centrifugal	60-130	242 (110)	292 (132)	
B46H11	9.5 (7.1)	Honda	Centrifugal	60-130	250 (113)	310 (141)	
B46H11H	9.5 (7.1)	Honda	Centrifugal	90-155	250 (113)	310 (141)	
HD Series - 48-inch (1219 mm) Guard Ring							
HDA48411H	9.5 (7.1)	Honda	Centrifugal	65-140	295 (134)	355 (161)	STHAHD; QPHAHD
HDA48413H	11.1 (8.2)	Honda	Variable Speed Clutch	35-180	315 (143)	365 (166)	

© COPYRIGHT 2008, MULTIQIP INC.

Trowel handles sold separately unless otherwise noted. All models factory equipped with combination blades.

‡ Includes folding Quick-Pitch handle

‡‡ Electric trowels include standard handle with knob-style pitch control

* Engine power ratings are calculated by the individual engine manufacturer and the rating method may vary among engine manufacturers. Multiquip Inc. and its subsidiary companies makes no claim, representation or warranty as to the power rating of the engine on this equipment and disclaims any responsibility or liability of any kind whatsoever with respect to the accuracy of the engine power rating. Users are advised to consult the engine manufacturer's owners manual and its website for specific information regarding the engine power rating.

Trowel Handle Options

STHAC Standard knob style pitch control for CA4HC (centrifugal clutch) model

QPHAC..... Folding Quick-Pitch control for CA4HC (centrifugal clutch) model

STHAJB.... Standard knob style pitch control for E45H

QPHAJB... Quick-Pitch style control for E45H

STHAJB.... Standard knob style pitch control for M-, J- and B-Series trowels with 2-inch diameter handle mount

QPHAJB... Quick-Pitch style control for M-, J- and B-Series trowels with 2-inch diameter handle mount

STHAHD... Standard knob style pitch control for HD-Series

QPHAHD.. Quick-Pitch style control for HD-Series

Grinding Accessories

GD485..... Grinding disc assembly for B-Series trowels (one per machine)

S486..... Replacement grinding disc for B-Series trowels

GA985..... Grinding stone assembly for J-Series trowels (one per trowel arm)

S986..... Replacement grinding stone for J-Series trowels

